

# Kidney360

September 2020 • Vol. 1 • No. 9

## Debates in Nephrology

---

- 887** **Kidney Biopsy Is Required for Nephrotic Syndrome with PLA2R+ and Normal Kidney Function: Pro**  
*Jonathan J. Hogan*  
See related debates on page 890 and commentary on page 894.
- 890** **Kidney Biopsy Is Required for Nephrotic Syndrome with PLA2R+ and Normal Kidney Function: The Con View**  
*Shane A. Bobart and Fernando C. Fervenza*  
See related debates on page 887 and commentary on page 894.

## Moderator Commentary

---

- 894** **Kidney Biopsy Is Required for Nephrotic Syndrome with PLA2R<sup>+</sup> and Normal Kidney Function: Commentary**  
*Richard J. Glasscock*  
See related debates on pages 887 and 890.

## Original Investigations

---

### Chronic Kidney Disease

- 897** **Hypoglycemia in Patients with Type 2 Diabetes Mellitus and Chronic Kidney Disease: A Prospective Observational Study**  
*Susana Hong, Lubaina Presswala, Yael T. Harris, Isabela Romao, Daniel W. Ross, Hugo Andrade Paz, Meng Zhang, Kenar D. Jhaveri, Vipul Sakhiya, and Steven Fishbane*
- 904** **Screening and Recognition of Chronic Kidney Disease in VA Health Care System Primary Care Clinics**  
*Shweta Bansal, Michael Mader, and Jacqueline A. Pugh*

### Dialysis

- 916** **Patency Outcomes of Arteriovenous Fistulas and Grafts for Hemodialysis Access: A Trade-Off between Nonmaturation and Long-Term Complications**  
*Bram M. Voorzaat, Cynthia J. Janmaat, Koen E.A. van der Bogt, Friedo W. Dekker, and Joris I. Rotmans, on behalf of the Vascular Access Study Group*
- 925** **The Geometry of Arteriovenous Fistulas Using Endothelial Nitric Oxide Synthase Mouse Models**  
*Isabelle Falzon, Hannah Northrup, Lingling Guo, John Totenhagen, Timmy Lee, and Yan-Ting Shiu*

### Genetics

- 936** **Heterozygous Urinary Abnormality–Causing Variants of COL4A3 and COL4A4 Affect Severity of Autosomal Recessive Alport Syndrome**  
*Tomoko Horinouchi, Tomohiko Yamamura, China Nagano, Nana Sakakibara, Shinya Ishiko, Yuya Aoto, Rini Rossanti, Koichi Nakanishi, Yuko Shima, Naoya Morisada, Kazumoto Iijima, and Kandai Nozu*

## Glomerular and Tubulointerstitial Diseases

### 943 Substitution of Oral for Intravenous Cyclophosphamide in Membranous Nephropathy

*Leonella Luzardo, Gabriela Ottati, Jimena Cabrera, Hernando Trujillo, Mariela Garau, Carlota González Bedat, Ruben Coitiño, María H. Aunchayna, José Santiago, Graciela Baldovinos, Ricardo Silvareño, Alejandro Ferreiro, Francisco González-Martínez, Liliana Gadola, Oscar Noboa, and Hena Caorsi*

## Mineral Metabolism

### 950 Association of FGF23 with Incident Sepsis in Community-Dwelling Adults: A Cohort Study

*Shejuti Paul, Suzanne E. Judd, Henry E. Wang, and Orlando M. Gutiérrez*

## Brief Communications

---

### 957 Elevated Plasma Free Sialic Acid Levels in Individuals with Reduced Glomerular Filtration Rates

*Federico Fuentes, Nuria Carrillo, Kenneth J. Wilkins, Jodi Blake, Petcharat Leoyklang, William A. Gahl, Jeffrey B. Kopp, and Marjan Huizing*

### 962 Loss of Cilia Does Not Slow Liver Disease Progression in Mouse Models of Autosomal Recessive Polycystic Kidney Disease

*Anna Rachel Gallagher and Stefan Somlo*

## Innovative Technology and Methodology

---

### 969 Single Lumen Alternating Micro-Batch Hemodiafiltration (SLAMB-HDF): A Device for Minimally Invasive Renal Replacement Therapy

*Lakhmir S. Chawla*

## Global Perspective

---

### 974 Global Dialysis Perspective: Vietnam

*Bui Pham Van and Chien Vo Duc*

## Perspective

---

### 977 Gerhard Giebisch and the Gift of Mentorship

*Peter S. Aronson*

## Basic Science for Clinicians

---

### 982 Shaping Up Mitochondria in Diabetic Nephropathy

*Koki Mise, Daniel L. Galvan, and Farhad R. Danesh*

## Review Articles

---

### 993 A Systematic Approach To Promoting Home Hemodialysis during End Stage Kidney Disease

*Robert Lockridge Jr., Eric Weinhandl, Michael Kraus, Martin Schreiber, Leslie Spry, Prayus Tailor, Michelle Carver, Joel Glickman, and Brent Miller*

### 1002 Fibrillary Glomerulonephritis and DnaJ Homolog Subfamily B Member 9 (DNAJB9)

*Nattawat Klomjit, Mariam Priya Alexander, and Ladan Zand*

### 1014 Approach to Persistent Microscopic Hematuria in Children

*Mahmoud Kallash and Michelle N. Rheault*

### 1021 Hypoxia-Inducible Factor and Oxygen Biology in the Kidney

*Mai Sugahara, Tetsuhiro Tanaka, and Masaomi Nangaku*

## Clinical Images in Nephrology and Dialysis

---

### 1032 Penile Pain in a Hemodialysis Patient

*Clara Miguelina Cabrera Fermin, Shashank Singh, and Abhilash Koratala*

### 1034 Unexpected FDG-PET Scan Finding in an ESKD Patient with Weight Loss

*Eléonore Ponlot and Eric Goffin*

### 1036 Sudden Coma and Quadriplegia in a Hemodialysis Patient

*Chih-Hen Yu, Han-Wei Huang, and Junne-Ming Sung*

### On the Cover

AVF geometrical parameter calculation. Points, lines, planes, and vectors used for calculating the (top left) anastomosis angle, (top right) tortuosity, (bottom left) nonplanarity angle, and (bottom right) maximum distance between the vein and artery. In all panels, the red circle indicates the point of the anastomosis origin. In (top left)-(bottom left), solid gray lines indicate lumen centerlines. In (top left) and (bottom left), yellow squares are points in the centerlines that are 1-mm straight-line distances from the anastomosis origin, and the dashed arcs represent the anastomosis or nonplanarity angle, respectively. In (top right) and (bottom left), the blue triangle is the maximum distance point. In (top right), D1 and L1 are the straight-line distance and along-the-centerline distance from the anastomosis origin to the point of maximum distance, respectively. In (bottom left), the yellow plane represents the anastomosis plane. In (bottom right), the black dots are the points the centerline is composed of, the plane indicated by the teal rectangular outline is normal to the proximal artery centerline and contains the teal cross-sections, and L2 and L3 are the along-the-centerline distances in the AVF vein and proximal artery, respectively, to the maximum distance between the artery and the vein, indicated by the blue star and dashed line. Adapted from Figure 2 of "The Geometry of Arteriovenous Fistulas Using Endothelial Nitric Oxide Synthase Mouse Models" by Isabelle Falzon, Hannah Northrup, Lingling Guo, John Totenhagen, Timmy Lee, Yan-Ting Shiu. *KIDNEY*360 1: 925-935, 2020. doi: 10.34067/KID.0001832020.